## FINAL RULE: PRIOR AUTHORIZATION PROCESS FOR CERTAIN DMEPOS

## TABLE 5: FINAL MASTER LIST OF DMEPOS ITEMS SUBJECT TO FREQUENT UNNECESSARY UTILIZATION FOR PRIOR AUTHORIZATION

Originally published in Federal Register/Vol. 80, No. 250/December 30, 2015 Updated in Federal Register/Vol. xx, No. xx/April 18, 2019

HCPCS	Description
E0193	Powered air flotation bed (low air loss therapy)
E0277	Powered pressure-reducing air mattress
	Nonpowered advanced pressure reducing overlay for mattress, standard
E0371	mattress length and width
E0372	Powered air overlay for mattress, standard mattress length and width
E0373	Nonpowered advanced pressure reducing mattress
E0466	Home ventilator, any type, used with non-invasive interface, (e.g., mask, chest shell)
	Respiratory assist device, bi-level pressure capability, without backup
	rate feature, used with noninvasive interface, e. g., nasal or facial mask
	(intermittent assist device with continuous positive airway pressure
E0470	device)
E0784	External Ambulatory infusion pump, insulin
	Oxygen concentrator, single delivery port, capable of delivering 85
E1390	percent or greater oxygen concentration at the prescribed flow rate
E2402	Negative pressure wound therapy electrical pump, stationary or portable
	Power wheelchair, group 1 standard, portable, sling/solid seat and back,
K0813	patient weight capacity up to and including 300 pounds
	Power wheelchair, group 1 standard, portable, captains chair, patient
K0814	weight capacity up to and including 300 pounds
	Power wheelchair, group 1 standard, sling/solid seat and back, patient
K0815	weight capacity up to and including 300 pounds
170016	Power wheelchair, group 1 standard, captains chair, patient weight
K0816	capacity up to and including 300 pounds
170020	Power wheelchair, group 2 standard, portable, sling/solid seat/back,
K0820	patient weight capacity up to and including 300 pounds
120021	Power wheelchair, group 2 standard, portable, captains chair, patient
K0821	weight capacity up to and including 300 pounds
V0022	Power wheelchair, group 2 standard, sling/solid seat/back, patient
K0822	weight capacity up to and including 300 pounds
K0823	Power wheelchair, group 2 standard, captains chair, patient weight
NU023	capacity up to and including 300 pounds
KU834	Power wheelchair, group 2 heavy duty, sling/solid seat/back, patient
K0824	weight capacity 301 to 450 pounds  Power wheelchair, group 2 heavy duty, captains chair, patient weight
K0825	capacity 301 to 450 pounds
NU023	capacity 501 to 450 pounds

HCPCS	Description
	Power wheelchair, group 2 very heavy duty, sling/solid seat/back,
K0826	patient weight capacity 451 to 600 pounds
	Power wheelchair, group 2 very heavy duty, captains chair, patient
K0827	weight capacity 451 to 600 pounds
	Power wheelchair, group 2 extra heavy duty, sling/solid seat/back,
K0828	patient weight capacity 601 pounds or more
	Power wheelchair, group 2 extra heavy duty, captains chair, patient
K0829	weight 601 pounds or more
	Power wheelchair, group 2 standard, single power option, sling/solid
K0835	seat/back, patient weight capacity up to and including 300 pounds
	Power wheelchair, group 2 standard, single power option, captains
K0836	chair, patient weight capacity up to and including 300 pounds
	Power wheelchair, group 2 heavy duty, single power option, sling/solid
K0837	seat/back, patient weight capacity 301 to 450 pounds
	Power wheelchair, group 2 heavy duty, single power option, captains
K0838	chair, patient weight capacity 301 to 450 pounds
	Power wheelchair, group 2 very heavy duty, single power option
K0839	sling/solid seat/back, patient weight capacity 451 to 600 pounds
	Power wheelchair, group 2 extra heavy duty, single power option,
K0840	sling/solid seat/back, patient weight capacity 601 pounds or more
	Power wheelchair, group 2 standard, multiple power option, sling/solid
K0841	seat/back, patient weight capacity up to and including 300 pounds
	Power wheelchair, group 2 standard, multiple power option, captains
K0842	chair, patient weight capacity up to and including 300 pounds
	Power wheelchair, group 2 heavy duty, multiple power option,
K0843	sling/solid seat/back, patient weight capacity 301 to 450 pounds
	Power wheelchair, group 3 standard, sling/solid seat/back, patient
K0848	weight capacity up to and including 300 pounds
TT00.40	Power wheelchair, group 3 standard, captains chair, patient weight
K0849	capacity up to and including 300 pounds
******	Power wheelchair, group 3 heavy duty, sling/solid seat/back, patient
K0850	weight capacity 301 to 450 pounds
	Power wheelchair, group 3 heavy duty, captains chair, patient weight
K0851	capacity 301 to 450 pounds
****	Power wheelchair, group 3 very heavy duty, sling/solid seat/back,
K0852	patient weight capacity 451 to 600 pounds
******	Power wheelchair, group 3 very heavy duty, captains chair, patient
K0853	weight capacity 451 to 600 pounds
170054	Power wheelchair, group 3 extra heavy duty, sling/solid seat/back,
K0854	patient weight capacity 601 pounds or more
K0855	Power wheelchair, group 3 extra heavy duty, captains chair, patient
	weight capacity 601 pounds or more
	Power wheelchair, group 3 standard, single power option, sling/solid
K0856	seat/back, patient weight capacity up to and including 300 pounds

HCPCS	Description
	Power wheelchair, group 3 standard, single power option, captains
K0857	chair, patient weight capacity up to and including 300 pounds
	Power wheelchair, group 3 heavy duty, single power option, sling/solid
K0858	seat/back, patient weight 301 to 450 pounds
	Power wheelchair, group 3 heavy duty, single power option, captains
K0859	chair, patient weight capacity 301 to 450 pounds
	Power wheelchair, group 3 very heavy duty, single power option,
K0860	sling/solid seat/back, patient weight capacity 451 to 600 pounds
	Power wheelchair, group 3 standard, multiple power option, sling/solid
K0861	seat/back, patient weight capacity up to and including 300 pounds
	Power wheelchair, group 3 heavy duty, multiple power option,
K0862	sling/solid seat/back, patient weight capacity 301 to 450 pounds
	Power wheelchair, group 3 very heavy duty, multiple power option,
K0863	sling/solid seat/back, patient weight capacity 451 to 600 pounds
	Power wheelchair, group 3 extra heavy duty, multiple power option,
K0864	sling/solid seat/back, patient weight capacity 601 pounds or more
	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and
	posterior frame/panel(s), posterior extends from sacrococcygeal junction
	to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s),
	produces intracavitary pressure to reduce load on intervertebral discs,
	includes straps, closures, may include padding, shoulder straps,
L0650	pendulous abdomen design, prefabricated, off-the-shelf
L5010	Partial foot, molded socket, ankle height, with toe filler
L5020	Partial foot, molded socket, tibial tubercle height, with toe filler
L5050	Ankle, symes, molded socket, sach foot
L5060	Ankle, symes, metal frame, molded leather socket, articulated ankle/foot
L5100	Below knee, molded socket, shin, sach foot
L5105	Below knee, plastic socket, joints and thigh lacer, sach foot
20100	Knee disarticulation (or through knee), molded socket, external knee
L5150	joints, shin, sach foot
	Knee disarticulation (or through knee), molded socket, bent knee
L5160	configuration, external knee joints, shin, sach foot
20100	Above knee, molded socket, single axis constant friction knee, shin,
L5200	sach foot
20200	Above knee, short prosthesis, no knee joint ('stubbies'), with foot blocks,
L5210	no ankle joints, each
	Above knee, short prosthesis, no knee joint ('stubbies'), with articulated
L5220	ankle/foot, dynamically aligned, each
	Above knee, for proximal femoral focal deficiency, constant friction
L5230	knee, shin, sach foot
	Hip disarticulation, canadian type; molded socket, hip joint, single axis
L5250	constant friction knee, shin, sach foot
	constant friction knee, sinn, such root

HCPCS	Description
	Hip disarticulation, tilt table type; molded socket, locking hip joint,
L5270	single axis constant friction knee, shin, sach foot
	Hemipelvectomy, canadian type; molded socket, hip joint, single axis
L5280	constant friction knee, shin, sach foot
L5301	Below knee, molded socket, shin, sach foot, endoskeletal system
	Knee disarticulation (or through knee), molded socket, single axis knee,
L5312	pylon, sach foot, endoskeletal system
	Above knee, molded socket, open end, sach foot, endoskeletal system,
L5321	single axis knee
	Hip disarticulation, canadian type, molded socket, endoskeletal system,
L5331	hip joint, single axis knee, sach foot
	Hemipelvectomy, canadian type, molded socket, endoskeletal system,
L5341	hip joint, single axis knee, sach foot
	Immediate post surgical or early fitting, application of initial rigid
	dressing, including fitting, alignment, suspension, and one cast change,
L5400	below knee
	Immediate post surgical or early fitting, application of initial rigid
	dressing, including fitting, alignment and suspension and one cast
L5420	change 'ak' or knee disarticulation
	Initial, below knee 'ptb' type socket, non-alignable system, pylon, no
L5500	cover, sach foot, plaster socket, direct formed
	Initial, above knee - knee disarticulation, ischial level socket, non-
	alignable system, pylon, no cover, sach foot, plaster socket, direct
L5505	formed
	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon,
L5510	no cover, sach foot, plaster socket, molded to model
	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon,
L5520	no cover, sach foot, thermoplastic or equal, direct formed
	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon,
L5530	no cover, sach foot, thermoplastic or equal, molded to model
	Preparatory, below knee 'ptb' type socket, non-alignable system, no
L5535	cover, sach foot, prefabricated, adjustable open end socket
T 5540	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon,
L5540	no cover, sach foot, laminated socket, molded to model
	Preparatory, above knee- knee disarticulation, ischial level socket, non-
1.55.00	alignable system, pylon, no cover, sach foot, plaster socket, molded to
L5560	model
	Preparatory, above knee - knee disarticulation, ischial level socket, non-
1.5570	alignable system, pylon, no cover, sach foot, thermoplastic or equal,
L5570	direct formed
	Preparatory, above knee - knee disarticulation ischial level socket, non-
1.5500	alignable system, pylon, no cover, sach foot, thermoplastic or equal,
L5580	molded to model

HCPCS	Description
	Preparatory, above knee - knee disarticulation, ischial level socket, non-
	alignable system, pylon, no cover, sach foot, prefabricated adjustable
L5585	open end socket
	Preparatory, above knee - knee disarticulation ischial level socket, non-
	alignable system, pylon no cover, sach foot, laminated socket, molded to
L5590	model
	Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, sach
L5595	foot, thermoplastic or equal, molded to patient model
	Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, sach
L5600	foot, laminated socket, molded to patient model
	Addition to lower extremity, endoskeletal system, above knee,
L5610	hydracadence system
	Addition to lower extremity, endoskeletal system, above knee - knee
L5611	disarticulation, 4 bar linkage, with friction swing phase control
	Addition to lower extremity, endoskeletal system, above knee-knee
L5613	disarticulation, 4 bar linkage, with hydraulic swing phase control
	Addition to lower extremity, exoskeletal system, above knee-knee
L5614	disarticulation, 4 bar linkage, with pneumatic swing phase control
	Addition to lower extremity, endoskeletal system, above knee, universal
L5616	multiplex system, friction swing phase control
L5639	Addition to lower extremity, below knee, wood socket
	Addition to lower extremity, hip disarticulation, flexible inner socket,
L5643	external frame
L5649	Addition to lower extremity, ischial containment/narrow m-l socket
	Addition to lower extremity, above knee, flexible inner socket, external
L5651	frame
	Addition to lower extremity, below knee/above knee, custom fabricated
	socket insert for congenital or atypical traumatic amputee, silicone gel,
T 5 601	elastomeric or equal, for use with or without locking mechanism, initial
L5681	only (for other than initial, use code 15673 or 15679)
	Addition to lower extremity, below knee/above knee, custom fabricated
	socket insert for other than congenital or atypical traumatic amputee,
15602	silicone gel, elastomeric or equal, for use with or without locking
L5683	mechanism, initial only (for other than initial, use code 15673 or 15679)
L5700	Replacement, socket, below knee, molded to patient model
I 5701	Replacement, socket, above knee/knee disarticulation, including
L5701	attachment plate, molded to patient model  Penlagement, socket, hip disarticulation, including hip joint, molded to
L5702	Replacement, socket, hip disarticulation, including hip joint, molded to patient model
L3/02	1
L5703	Ankle, symes, molded to patient model, socket without solid ankle
L5703 L5707	cushion heel (sach) foot, replacement only
LS/U/	Custom shaped protective cover, hip disarticulation
1.5724	Addition, exoskeletal knee-shin system, single axis, fluid swing phase
L5724	control

HCPCS	Description
	Addition, exoskeletal knee-shin system, single axis, external joints fluid
L5726	swing phase control
	Addition, exoskeletal knee-shin system, single axis, fluid swing and
L5728	stance phase control
	Addition, exoskeletal knee-shin system, single axis, pneumatic/hydra
L5780	pneumatic swing phase control
	Addition to lower limb prosthesis, vacuum pump, residual limb volume
L5781	management and moisture evacuation system
	Addition to lower limb prosthesis, vacuum pump, residual limb volume
L5782	management and moisture evacuation system, heavy duty
	Addition, exoskeletal system, hip disarticulation, ultra-light material
L5795	(titanium, carbon fiber or equal)
	Addition, endoskeletal knee-shin system, polycentric, hydraulic swing
L5814	phase control, mechanical stance phase lock
	Addition, endoskeletal knee-shin system, polycentric, friction swing,
L5818	and stance phase control
	Addition, endoskeletal knee-shin system, single axis, pneumatic swing,
L5822	friction stance phase control
	Addition, endoskeletal knee-shin system, single axis, fluid swing phase
L5824	control
	Addition, endoskeletal knee-shin system, single axis, hydraulic swing
L5826	phase control, with miniature high activity frame
	Addition, endoskeletal knee-shin system, single axis, fluid swing and
L5828	stance phase control
T 7000	Addition, endoskeletal knee-shin system, single axis, pneumatic/ swing
L5830	phase control
1.5040	Addition, endoskeletal knee/shin system, 4-bar linkage or multiaxial,
L5840	pneumatic swing phase control
1 5045	Addition, endoskeletal, knee-shin system, stance flexion feature,
L5845	adjustable Addition to endoskeletal knee-shin system, fluid stance extension,
L5848	· · · · · · · · · · · · · · · · · · ·
L3040	dampening feature, with or without adjustability  Addition to lower extremity prosthesis, endoskeletal knee-shin system,
L5856	microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type
LJGJU	Addition to lower extremity prosthesis, endoskeletal knee-shin system,
	microprocessor control feature, swing phase only, includes electronic
L5857	sensor(s), any type
25057	Addition to lower extremity prosthesis, endoskeletal knee shin system,
	microprocessor control feature, stance phase only, includes electronic
L5858	sensor(s), any type
L5930	Addition, endoskeletal system, high activity knee control frame
	Addition, endoskeletal system, hip disarticulation, ultra-light material
L5960	(titanium, carbon fiber or equal)
	V   ,   ,

HCPCS	Description
	Addition, endoskeletal system, above knee, flexible protective outer
L5964	surface covering system
	Addition, endoskeletal system, hip disarticulation, flexible protective
L5966	outer surface covering system
	Addition to lower limb prosthesis, multiaxial ankle with swing phase
L5968	active dorsiflexion feature
	Endoskeletal ankle foot system, microprocessor controlled feature,
L5973	dorsiflexion and/or plantar flexion control, includes power source
	All lower extremity prosthesis, multi-axial ankle, dynamic response
L5979	foot, one piece system
L5980	All lower extremity prostheses, flex foot system
L5981	All lower extremity prostheses, flex-walk system or equal
	All lower extremity prosthesis, shank foot system with vertical loading
L5987	pylon
L5988	Addition to lower limb prosthesis, vertical shock reducing pylon feature
L5990	Addition to lower extremity prosthesis, user adjustable heel height